

Package: copulaSFM (via r-universe)

May 20, 2026

Type Package

Title Copula based Simultaneous stochastic frontier

Version 0.1.0

Author Woraphon Yamaka

Maintainer The package maintainer <woraphon.econ@gmail.com>

Description The package provide a flexible way to measure the technical efficiency of the production function

License COEE.01

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

Repository <https://woraphonyamaka.r-universe.dev>

Date/Publication 2021-05-23 06:23:02 UTC

RemoteUrl <https://github.com/woraphonyamaka/copulasfm>

RemoteRef HEAD

RemoteSha 9bf6515e5aa9afb2b95507cf327588a22ff2eed3

Contents

copulasfm	2
te	3
Index	5

Description

In the standard stochastic frontier model, the two-sided error term V and the one-sided technical inefficiency error term W are assumed to be independent. In this paper, we relax this assumption by modeling the dependence between V and W using copulas. Nine copula families are considered and their parameters are estimated using maximum simulated likelihood.

Usage

```
copSFM(Y,X, family=1, RHO=0.5, LB=-0.99, UB=0.99)
```

Arguments

Y	vector of dependent variable
X	matrix of independent variable
family	Copula function eg. Gaussain=1, Student-t=2 (see, Vinecopula package)
RHO	The initail value of the copula parameter
LB	The lower bound of the copula parameter
UB	The upper bound of the copula parameter

Details

herefore, the above copula families and relevant rotated copula can potentially capture the appropriate dependence between two random variables. Other popular copula families, such as Gaussain, Student,t Clayton, Gumbel etc.

Value

result	The result contain the estimated parameters, standard errors, t-stat, and p-value
AIC	Akaiki Information Criteria
BIC	Bayesian Information Criteria
Loglikelihood	Maximum Log-likelihood function

Author(s)

Woraphon Yamaka and Paravee MAneejuk

References

Wiboonpongse, A., Liu, J., Sriboonchitta, S., & Denoeux, T.(2015). Modeling dependence between error components of the stochastic frontier model using copula: application to intercrop coffee production in Northern Thailand. *International Journal of Approximate Reasoning*, 65, 34-44.

Maneejuk, P., Yamaka, W., & Sriboonchitta, S.(2017). Analysis of global competitiveness using copula-based stochastic frontier kink model. In *Robustness in Econometrics* (pp. 543-559). Springer, Cham.

Examples

```
## Required packages
library(truncnorm)
library(mvtnorm)
library("VineCopula")
library("frontier")

#example simulation data
data=sfa.simu(nob=200, alpha=c(1,2,0.5),sigV=1,sigU=0.5,family=1,rho=0.5)

# Select family copula upper and lower bouubd ( look at CDVine package)
# family=1 # 1 is Gaussian, 2 is Student-t, 3 is Clayton and so on...

#Gaussian (-.99, .99)
#Student t (-.99, .99)
#Clayton (0.1, Inf)
model=copSFM(Y=data$Y,X=data$X,family=1,RHO=0.5,LB=-0.99,UB=0.99)
```

te *Technical efficiency measure.*

Description

Computing and plotting the technical efficiency.

Usage

```
TE(theta,Y,X,family=1)
```

Arguments

theta	The estimated parameters form the model
Y	Vector of dependent variable
X	Matrix of independent variable
family	Copula function eg. Gaussain=1, Student-t=2 (see, Vinecopula package)

Details

Computing and plotting the technical efficiency.

Value

itemOutput Technical efficiency series itemplot Plot of Technical efficiency

Author(s)

Woraphon Yamaka

References

Wiboonpongse, A., Liu, J., Sriboonchitta, S., & Denoeux, T. (2015). Modeling dependence between error components of the stochastic frontier model using copula: application to intercrop coffee production in Northern Thailand. *International Journal of Approximate Reasoning*, 65, 34-44.

Examples

```
## Required packages
library(truncnorm)
library(mvtnorm)
library("VineCopula")
library("frontier")

#example simulation data
data=sfa.simu(nob=200, alpha=c(1,2,0.5), sigV=1, sigU=0.5, family=1, rho=0.5)

# Select family copula upper and lower bouabd ( look at CDVine package)
# family=1 # 1 is Gaussian, 2 is Student-t, 3 is Clayton and so on...

#Gaussian (-.99, .99)
#Student t (-.99, .99)
#Clayton (0.1, Inf)

model=copSFM(Y=data$Y,X=data$X, family=1, RH0=0.5, LB=-0.99, UB=0.99)

#EX: Plot the technical efficiency
te1=TE1(model$result[,1],Y=data$Y,X=data$X, family=1)
```

Index

* **Copula**

copulasfm, 2

* **Stochastic frontier**

copulasfm, 2

copulasfm, 2

te, 3